

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	711/216 and (partial with key).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L2	9	711/216 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L3	20	711/216 and (partial with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L4	16	L3 not L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L5	24	(partial adj3 key) near15 hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L6	65	711/216 and 711/108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L7	2	L6 and (partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L8	3	L6 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L9	27	L6 and (key and hash \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45

/CEW/

L10	11	L6 and (key and hash \$3 and partial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L11	168	(part adj3 key) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L12	84	(part adj3 key) with (hash\$3 adj6 (function or table or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L13	73	(part adj3 key\$1) with (hash\$3 adj6 (function \$1 or table\$1 or value \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/06 12:45
L14	2660	((part or partial) and key).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L15	4	((part or partial) and key and hash\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L16	1	711/216 and (part adj3 key).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L17	20	711/216 and (part adj3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L18	45	711/216 and (part adj5 hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L19	9	711/216 and ((part adj5 hash\$3) near15 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45

/CEW/

L20	887	((part or partial) near6 key) and hash \$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28 \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L21	74	((part or partial) near6 key) with hash \$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28 \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L22	39	((part or partial) adj3 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L23	721	711/216	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L24	9247	(CISCO TECHNOLOGY).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L25	3	L24 and (hash\$ with key with partial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L26	2	L24 and (hash\$ with (part adj4 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L27	0	(Galois and Fibonacci) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L28	111	(Galois and Fibonacci)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45

/CEW/

L29	10	(Galois and Fibonacci and hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L30	33	(Fibonacci same hash \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L31	164	(Fibonacci with (LFSR or shift register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L32	91	(Fibonacci and Galois) with (LFSR or shift register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L33	65	(Fibonacci and Galois) with (LFSR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L34	534	370/395.32	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L35	6	L34 and ((partial or part) adj3 key)	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L36	423	((content address\$4 memory) or CAM) with hash\$3	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L37	63	((content address\$4 memory) or CAM) with hash\$3 with key	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L38	0	((content address\$4 memory) or CAM) with hash\$3 with key with partial	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L39	0	((content address\$4 memory) or CAM) with hash\$3 with key with part	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L40	0	((content address\$4 memory) or CAM) with hash\$3 with key with split	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45

/CEW/

L41	0	((content address\$4 memory) or CAM) with hash\$3 with key with half	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L42	14	((content address\$4 memory) or CAM) with hash\$3 with key with portion	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L43	13	((content address\$4 memory) or CAM) with hash\$3 with (key near4 portion)	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L44	345	(compar\$3 adj4 key) and (compar\$3 adj4 hash)	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L45	6	(compar\$3 adj4 key) and (compar\$3 adj4 hash) with (conflict or collision)	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L46	27	(compar\$3 near5 partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L47	0	(compar\$3 near5 partial near5 key) with (collision or conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L48	1	(compar\$3 adj4 key) and (compar\$3 adj4 hash) with (benefit or advantage)	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L49	10	(compar\$3 adj4 key) with (conflict or collision)	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L50	2	(Fibonacci and Galois) with (LFSR) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L51	6	(Fibonacci and Galois) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45

/CEW/

L52	32	reverse adj3 hash\$3 adj3 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L53	0	reverse adj5 hash\$3 adj5 function adj5 partial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L54	0	reverse adj5 hash\$3 adj5 function adj5 part	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L55	0	reverse adj5 function adj5 partail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L56	2	reverse adj5 function adj5 partial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L57	16	(reverse near5 hash \$3) with (key near5 hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L58	27	(reverse near5 (hash \$3 or function)) with (key near5 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L59	7	(revers\$3 and hash\$3). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L60	3	partial with (hash or value) with key with reverse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L61	2	(benefit or advantage) with (revers\$3 near5 hash\$4 near5 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45

/CEW/

L62	423	hash near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L63	86	(hash adj3 value) near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L64	73	(part adj3 key\$1) with (hash\$3 adj6 (function \$1 or table\$1 or value \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/06 12:45
L65	17	(partial adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/06 12:45
L66	74	((part or partial) near6 key) with hash \$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28 \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L67	354	((partial or portion) near3 key) and(hash \$3 near3 (conflict\$3 or collision))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L68	16	((partial or portion) near3 key) and(hash \$3 near3 (conflict\$3 or collision)) and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L69	73	(part adj3 key\$1) with (hash\$3 adj6 (function \$1 or table\$1 or value \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/06 12:45
L70	74	((part or partial) near6 key) with hash \$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28 \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45

/CEW/

L71	16	((partial or portion) near3 key) and(hash \$3 near3 (conflict\$3 or collision)) and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L72	149	L69 or L70 or L71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L73	63	((content address\$4 memory) or CAM) with hash\$3 with key	US-PGPUB; USPAT	ADJ	ON	2008/04/06 12:45
L74	9	711/216 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L75	45	711/216 and (part adj5 hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L76	39	((part or partial) adj3 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L77	86	(hash adj3 value) near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L78	20	711/216 and (part adj3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L79	65	711/216 and 711/108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L80	20	711/216 and (partial with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45

/CEW/

L81	24	(partial adj3 key) near15 hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L82	27	(compar\$3 near5 partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L83	32	reverse adj3 hash\$3 adj3 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L84	73	(part adj3 key\$1) with (hash\$3 adj6 (function \$1 or table\$1 or value \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/06 12:45
L85	27	(reverse near5 (hash \$3 or function)) with (key near5 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L87	553	partial key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L88	0	partial key and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L89	9	partial key with hash \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L90	78	((subset or sub set) near6 key) with hash \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L91	13	partial key with (half or majority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45

/CEW/

L92	9881	cisco.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L93	549	hash\$3 and L92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L94	133	(key with hash\$3) and L92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L95	4	(L92 and ((partial or split) near6 key) with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L96	18	(key with hash\$3).ab. and L92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L97	118	((partial or split) near6 key) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L98	99	((sub set or subset or substring or sub string) near6 key) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L99	95	L98 not L97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L100	357	((patial or split or sub set or subset or substring or sub string) near3 key) with (memory or storage or space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45

/CEW/

L101	15	((patial or split or sub set or subset or substring or sub string) near3 key) with (reduc\$4 or less or conserv\$4 or sav\$3 or minimiz\$4) near6 (memory or storage or space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L102	2	((patial or split or sub set or subset or substring or sub string) near3 key) with (memory or storage or space) and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L103	553	partial key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L104	9	partial key with hash \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 12:45
L110	30	((part adj3 key) with hash\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 13:06
L113	0	(711/216 and (part adj5 hash\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/06 13:08
L114	15	((part adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/04/06 13:08

4/6/2008 1:10:43 PM

C:\Documents and Settings\cwalter\My Documents\EAST\Workspaces\10.696467.wsp